



Marzo-13

CLASS	RATING	CW	WS	AL	WL	BEAM	CM	VLM	CJ	VLJ	CSPI	LB	TRAP	B27	LTM	SH	LF
2Win Sonic	1.279	2	105	4.31	4.3	2.3	9.9	7.3	2.3	3.9	9.5		2	B	0.65		
2Win Sonic Solo	1.241	1	103	4.31	4.3	2.3	9.9	7.3			9.5		1	B	0.65		
2Win Twincat 15 Sport	1.224	2	125	4.6	4.58	2.3	10.5	7.3	3	4.75	11.5		2	B	0.8		
2Win Tyka	1.374	2	115	4.31		2.3	8.5	5.95	2.4	3.9	9.5		2		0.65		
A Class	0.990	1	75	5.49		2.3	13.94	8.73				0.685	1		0.8		Y
AHPC C2 F18	0.988	2	180	5.52	5.5	2.6	17	8.53	4.15	5.73	21	1.4	2		1		
AHPC Capricorn F18	0.988	2	180	5.52	5.5	2.6	17	8.53	4.15	5.73	21	1.4	2		1		
AHPC Taipan 4.9	1.008	2	105	4.99		2.34	14	7.94	4.2	5.1	17.5	0.56	2		0.93		
AHPC Viper	1.022	2	129	5		2.5	15	8.1	3.7	5.2	17.5	0.85	2		0.93		
AHPC Viper Solo	1.037	1	124	5		2.5	15	8.1			17.5	0.85	1		0.93		
Alado 18 Aileron	1.087	2	183	5.48	5.4	2.5	15.3	8.2	4.4	5.8	18.9		2	B	0.6		
Alado 18 F18	0.988	2	180	5.52	5.5	2.6	17	8.53	4.15	5.73	21	1.4	2		1		
Bim 16	1.150	2	103	4.96	4.94	2.3	13.26	8.25			13	0.645	2	B	0.6		
Bim 18 Class A (>100 Kgs)	1.063	1	100	5.48	5.48	2.3	13.94	8.82				0.65	1	B	0.6		
Bim 18 Double	1.054	2	138	5.5	5.47	2.55	17.33	9.7			19.11	0.66	2	B	0.6		
Bim 18 Double 96 CB	1.010	2	130	5.5	5.47	2.47	19.95	10.17			18.75	0.77	2	B	0.6		
Bim 18 Double Sloop	1.045	2	138	5.5	5.47	2.47	13.94	8.82	3.55	5	19.11	0.66	2	B	0.3		
Bim 20	1.014	2	183	6.09	5.9	3.01	21.59	10.23			19.6	0.62	2	B	0.6		
Bimare Class A V1	1.007	1	75	5.5		2.3	13.94	8.7				0.665	1		0.8		
Bimare X16 Double Spinnaker	1.102	2	105	5		2.38	13.94	8.64			14	0.95	2		0.8		
Bimare X16 Solo	1.064	1	103	5		2.38	13.94	8.64				0.95	1		0.8		
Bimare X16 Solo Spinnaker	1.027	1	105	5		2.38	13.94	8.64			14	0.95	1		0.8		
Bimare X4 F18	0.988	2	180	5.52	5.5	2.6	17	8.53	4.15	5.73	21	1.4	2		1		
Bimare X16F Plus	1.010	2	117.7	5	5	2.5	15	7.915	3.7	5.065	17.5	0.95	2		0.895		
C 4.8	1.297	2	130	4.8	4.46	2.3	12.12	7.22	3.1	3.8			2	B	no LTM		
C 4.8 Major	1.250	2	132	4.8	4.47	2.3	14.16	7.72	3.1	3.8			1	B	no LTM		
Catapult	1.258	1	100	5	4.8	2.25	10	6.5				0.3	1	B	0.5		
Cirrus B1	0.988	2	180	5.52	5.5	2.6	17	8.53	4.15	5.73	21	1.4	2		1		
Cirrus Ecole	1.097	2	165	5.52	5.52	2.55	13.8	7.8	3.75	5.15	15	0.515	2	B	0.4		
Cirrus Energy Regate	1.114	2	150	4.88	4.88	2.55	13.2	7.3	3.45	5.08	16.5	0.94	2	B	0.65		
Cirrus Energy Regate Solo	1.125	1	148	4.88	4.88	2.55	13.2	7.3			16.5	0.94	1	B	0.65		
Cirrus Evolution	1.031	2	152	5.08	5.08	2.55	15.6	7.93	4.15	5.7	19.5	0.94	2		0.72		



**Marzo-13**

CLASS	RATING	CW	WS	AL	WL	BEAM	CM	VLM	CJ	VLJ	CSPI	LB	TRAP	B27	LTM	SH	LF
Cirrus Evolution Solo	1.065	1	148	5.08	5.08	2.55	15.6	7.93			17.3	0.94	1		0.72		
Cirrus F18	0.988	2	180	5.52	5.5	2.6	17	8.53	4.15	5.73	21	1.4	2		1		
Condor 16	1.186	2	146	5.03	4.9	2.28	12.75	6.9	5	4.6		0.57	1	B	no LTM		
Dart 16	1.289	2	150	4.845		2.3	11.69	7.05	2.64	4.375			1		0.535		
Dart 16 X Race	1.235	2	156	4.845		2.3	12.28	7.05	2.64	4.375	12.6		2		0.535		
Dart 18	1.221	2	136	5.48	5.14	2.28	12.92	7.42	3.16	4.5			1	B	no LTM		
Dart 18 Cat Boat	1.253	1	136	5.48	5.14	2.28	12.92	7.42					1	B	no LTM		
Dart 18 Spinnaker	1.182	2	142.5	5.48	5.14	2.28	12.92	7.42	3.16	4.5	12.9		1	B	no LTM		
Dart 20	1.100	2	180	5.94	5.59	2.44	18.37	8.6	4.72	4.72			2	B	no LTM		
Dart 6000	1.120	2	174	5.91	5.27	2.49	20.4	9.42			15.7		2	B	0.3		
Dart Hawk F18	0.988	2	180	5.52	5.5	2.6	17	8.53	4.15	5.73	21	1.4	2		1		
Dart Sting	1.369	2	125	4.57	4.23	2.13	11.42	7	2.4	3.7			1	B	no LTM		
Dart Sting Cat Boat	1.354	1	125	4.57	4.23	2.13	11.42	7.19					1	B	no LTM		
Dart Sting Solo	1.247	1	125	4.57	4.23	2.13	11.42	7.19	2.4	3.7			1	B	no LTM		
Dart TSX	1.047	2	195	5.94	5.7	2.44	19	8.98	5.22	5.88	15.8		2	B	no LTM		
Diam 3 F18	0.988	2	180	5.52	5.5	2.6	17	8.53	4.15	5.73	21	1.4	2		1		
Drake	1.023	2	200	5.46	5.46	3.81	16.81	8.42	4.35	6.01	20.64	0.95	2		0.8		
Falcon F16	1.015	2	120	5	5	2.5	15	8.05	3.7	5.46	17.5	0.787	2		0.875		
Falcon F16 Cat Boat	1.032	1	117	5	5	2.5	15	8.05			17.5	0.787	1		0.875		
Formula 20 White Formula	0.946	2	190	6.095		2.99	18.9	8.95	4.7	6.57	24.6	0.905	2		0.92		
Formule 18	0.988	2	180	5.52	5.5	2.6	17	8.53	4.15	5.73	21	1.4	2		1		
Formule 20	0.945	2	190	6.1		2.6	18	8.9	4.85	6.26	25	1	2		1.2		
Gwynt 14	1.265	2	87	4.16	4.12	2.1	10.85	6.68	2.68	3.83	13.72		2	B	no LTM		
Hawke Surfcat 7020	1.303	1	100	3.96		1.88	9.36	6.5	2.76	5					no LTM		
Hawke Surfcat 7020 (Main Only)	1.454	1	100	3.96		1.88	9.36	6.5							no LTM		
Hobie 13	1.600	2	95	3.9	3.62	2.11	7.88	5.93	1.9	2.97			1	B	no LTM		
Hobie 14 LE	1.395	1	109	4.25	3.94	2.34	10.96	6.57					1	B	no LTM	SH	
Hobie 14 Turbo	1.259	1	109	4.25	3.96	2.34	10.96	6.57	2.8	3.75			1	B	no LTM	SH	
Hobie 15	1.315	2	155	4.95	4.61	2.26	11.5	7.3	3.5	4.19			2	B	no LTM		
Hobie 16 LE (without spinnaker)	1.195	2	145.15	5.11	4.66	2.41	15.14	7.45	4.8	4.5			2	B	no LTM	SH	
Hobie 16 Spinnaker (Europe)	1.143	2	145.15	5.11	4.66	2.41	15.14	7.45	4.8	4.5	17.5		2	B	no LTM	SH	
Hobie 17 (with wings)	1.199	1	149.7	5.18	5.1	2.44	14.54	7.98				0.38	1	B	no LTM		



Marzo-13

CLASS	RATING	CW	WS	AL	WL	BEAM	CM	VLM	CJ	VLJ	CSPI	LB	TRAP	B27	LTM	SH	LF
Hobie 18	1.096	2	181.4	5.48	5.29	2.44	16	7.65	6.32	5.7		0.57	2	B	no LTM		
Hobie 18 Formula	1.032	2	186	5.48	5.29	2.44	17.47	8.32	5.7	5.15	20.3	0.85	2	B	no LTM		
Hobie 18 Formula 104	1.068	2	195	5.48	5.29	2.44	17.47	8.32	4.1	4.8	20.3	0.85	2	B	no LTM		
Hobie 18 Magnum	1.096	2	181.4	5.48	5.29	2.44	16	7.65	6.32	5.7		0.57	2	B	no LTM		
Hobie 18 SX	1.122	2	206.4	5.48	5.29	2.44	16	7.65	6.32	5.7		0.57	2	B	no LTM		
Hobie 20 Formula	1.022	2	190.5	5.95	5.69	2.5	17.7	8.45	5.4	5.15	21	0.6	2	B	no LTM		
Hobie 21 (2 Crew)	0.974	2	290	6.48	6.25	3.05	21.28	9.11	7.98	6.6	29	0.505	2	B	no LTM		
Hobie 21 (3 Crew)	1.023	3	290	6.48	6.25	3.05	21.28	9.11	7.98	6.6	29	0.505	2	B	no LTM		
Hobie 21 Formula	0.976	2	284	6.48	6.25	3.05	21.15	9.28	6.99	6.08	27	0.85	2	B	no LTM		
Hobie Advance	1.561	2	115	3.6		2.09	7.95	5.4	2.4	4.11	8.1		1		0.35		
Hobie Catsby	2.066	2	75	3.1		1.66	5	3.72	0.85	2.34					no LTM		
Hobie Dragoon Club	1.457	2	98	3.91	3.75	2.2	9.5	6.08	2.2	4			2	B	0.525		
Hobie Dragoon Xtrem	1.416	2	104	3.91	3.75	2.2	9.5	6.08	2.2	4	10.3		2	B	0.525		
Hobie Fox F20	0.950	2	190	6.1		2.6	18	9	4.85	6.3	25	1.01	2		0.975		
Hobie FX One Cat Boat	1.046	1	135	5.25	5.25	2.55	14.85	8.1			17.5	0.97	1		0.68		
Hobie FX One Double	1.040	2	155	5.25	5.25	2.55	14.85	8.1	4	5.5	17.5	0.97	2		0.68		
Hobie FX Xtrem	1.040	2	155	5.25		2.55	15.06	7.97	3.85	5.7	18.99	0.95	2		0.68		
Hobie Getaway	1.236	1	204.12	5.04		2.34	13.703	6.858	3.019	4.572			1		no LTM		
Hobie Max	1.129	2	147	4.9	4.85	2.5	13.926	7.425	3.7	5.16	18.6		2	B	0.636		
Hobie Max Youth	1.143	2	154	4.9	4.85	2.5	13.926	7.425	3.7	5.16	17		2	B	0.636		
Hobie Pacific	1.064	2	170	5.44	5.3	2.6	15.5	8.35	4.15	5.62	18.5		2	B	1		
Hobie Pacific (with wings)	1.086	2	205	5.44	5.3	2.5	16.68	8.35	4.08	5.62	20.29		2	B	1		
Hobie Teddy	1.617	3	118	3.91		2.15	8.5	5.73	2.1	4.11	8.1		1		0.35		
Hobie Tiger F18	0.988	2	180	5.52	5.5	2.6	17	8.53	4.15	5.73	21	1.4	2		1		
Hobie Twixxy	1.453	3	139	4.38		2.3	10.26	6.48	2.26	4.43	11		2		0.525		
Hobie Wave	1.534	2	122	3.99	3.84	2.13	10	5.56	2.22	3.59				B	no LTM		
Hobie Wildcat F18	0.988	2	180	5.52	5.5	2.6	17	8.53	4.15	5.73	21	1.4	2		1		
Hurricane 4.9	1.143	2	150	5.06	4.9	2.28	14.82	7.73	4.73	5.09		0.57	1	B	no LTM		
Hurricane 5.5	1.053	2	175	5.48	5.38	2.44	15.88	8.15	5	5.45	21	0.531	2	B	no LTM		
Hurricane 5.9	1.053	2	181	5.92	5.72	2.44	17.5	8.42	5.9	5.65		0.57	2	B	no LTM		
Hurricane 5.9 Sport	1.020	2	184	5.92	5.72	2.44	17.5	8.42	5.2	5.62	21	0.57	2	B	no LTM		
Hurricane 5.9 SX	1.008	2	186	5.92	5.72	2.44	17.14	8.355	4.58	5.25	21	0.57	2	B	0.965		



Marzo-13

CLASS	RATING	CW	WS	AL	WL	BEAM	CM	VLM	CJ	VLJ	CSPI	LB	TRAP	B27	LTM	SH	LF
Hurricane 500	1.113	2	160	5	4.87	2.4	13.7	7.91	5.9	5.65	19		2	B	no LTM		
Javelin 16	1.085	2	95	5		2.3	13.95	8.82			17.5	0.645	2		0.8		
Javelin 18HT	1.013	2	136	5.5		2.45	19.85	9.64			19.68	0.75	2		0.8		
Javelin 2 (not 18HT)	1.017	2	142	5.5	5.5	2.45	19.46	9.73			20	0.85	2		0.8		
KL 15.5	1.228	2	150	4.8	4.75	2.35	12.4	6.7	2.8	4.65	14		2	B	0.645		
KL 16	1.176	2	151	4.88	4.88	2.21	12.7	7.05	3.65	4.3	16.3		2	B	0.6		
KL 17 Power	1.147	2	150	5.18	5.1	2.39	13.6	7.6	3	3.9	16.3		2	B	0.6		
KL 17 Regate	1.103	2	158	5.18	5.12	2.39	16.5	8	3	4.9	19		1	B	0.6		
KL 17.5 Tonic (without spinnaker)	1.185	2	150	5.18	5.12	2.35	13.6	8	3	4.5			2	B	0.6		
KL 18 Regate	1.090	2	167	5.48	5.48	2.59	18.25	8.5			19	0.8	2	B	0.6		
KL Booster	1.130	2	155	5.03	4.97	2.35	14.37	7.6	3.4	4.93	17		2	B	0.7		
KL Phoenix F18	0.988	2	180	5.52	5.5	2.6	17	8.53	4.15	5.73	21	1.4	2		1		
M20 Vampire Duo	0.847	2	161	6.075		3.525	19.78	10.3	5.78	6.21	28.3	1.22	2		1.1		Y
Magic F18	0.988	2	180	5.52	5.5	2.6	17	8.53	4.15	5.73	21	1.4	2		1		
Mattia 14	1.485	2	105	4.24	4.24	1.9	7.5	5.55	1.5	2.6	7	0.6	2	B	no LTM		
Mattia 16	1.255	2	135	4.9	4.88	2.29	11.2	6.6	2.3	3.7	9.5	0.6	2	B	no LTM		
Mattia 18 104	1.070	2	180	5.52	5.5	2.49	15.7	8.75	3.7	5.8	19	0.76	2	B	no LTM		
Mattia 18 F18	0.988	2	180	5.52	5.5	2.6	17	8.53	4.15	5.73	21	1.4	2		1		
Mattia 18 Raid	1.029	2	173	5.5	5.35	2.59	17.2	8.85	4.5	5.6	21	0.72	2	B	no LTM		
Mattia 20	1.006	2	200	6.09	6.07	2.59	17.8	8.75	4	5.5	21	0.76	2	B	0.6		
Mattia 20 Cat Boat	1.004	2	197	6.09	6.07	3.01	21.75	10.7			21	0.76	2	B	0.6		
Mattia 20 Sloop	1.020	2	200	6.09	6.09	3.01	17.8	8.85	4	5.5	21	0.76	2	B	no LTM		
Mattia 20 Venti	1.027	2	200	6.09	6.07	2.59	17.8	8.75	4	5.5	21	0.76	2	B	no LTM		
Mattia Declic	1.234	2	135	4.9	4.9	2.29	12.5	6.6	3.1	3.7	10		2	B	no LTM		
Mattia Esse	1.092	2	157	5.48	5.46	2.21	13.94	7.75	3.3	4	15.5	0.715	2	B	0.6		
Mattia Esse Solo	1.160	1	151	5.48	5.46	2.21	13.94	7.75				0.715	1	B	0.6		
Mattia Esse Sport	1.037	2	160	5.52		2.42	14.6	7.64	4.15	5.44	19	0.9	2		0.862		
Mattia Esse Sport Solo	1.065	1	155	5.52		2.42	14.6	7.64			19	0.9	1		0.862		
Mattia Flash F18	0.988	2	180	5.52	5.5	2.6	17	8.53	4.15	5.73	21	1.4	2		1		
Mattia Smile	1.138	2	170	5.52		2.42	13.94	7.47	3.65	4.93	15.5		2		0.4		
Mattia Smile Sport	1.100	2	165	5.52		2.42	14.6	7.64	4.15	5.74	17.5		2		0.4		
Miracle 20	1.020	2	185	5.94	5.77	2.59	16.87	8.98	4.66	5.52	20.5	0.8	2	B	no LTM		



Marzo-13

CLASS	RATING	CW	WS	AL	WL	BEAM	CM	VLM	CJ	VLJ	CSPI	LB	TRAP	B27	LTM	SH	LF
Miracle 20 (without spinnaker)	1.068	2	185	5.94	5.77	2.59	16.87	8.98	4.66	5.52		0.8	2	B	no LTM		
Mystere 2000 F20	0.988	2	180	5.52	5.5	2.6	17	8.53	4.15	5.73	21	1.4	2		1		
Mystere 5.0	1.202	2	144	5	4.95	2.5	12.52	7.8	4.36	5.56			1	B	no LTM		
Mystere 5.0 XI	1.124	2	156	5	4.95	2.59	15.21	8.08	4.83	5.25			2	B	0.68		
Mystere 5.5 Fun	1.064	2	180	5.56	5.51	2.59	18.08	8.5	5.38	5.77			2	B	0.72		
Mystere 5.5 Master	1.010	2	189	5.56	5.51	2.59	18.08	8.5	4.83	5.25	21.08	0.585	2	B	0.72		
Mystere 6.0	0.978	2	218	6.01	6	2.59	19.74	8.8	5.38	5.77	24	0.585	2	B	0.8		
Mystere Twister F18	0.988	2	180	5.52	5.5	2.6	17	8.53	4.15	5.73	21	1.4	2		1		
Nacra 16	1.010	2	131	5		2.5	14.94	8.09	3.674	5.03	17.47	1.2	2		1.08		
Nacra 16 single handed	1.026	1	128	5		2.5	14.94	8.09			17.47	1.2	1		1.08		
Nacra 17	0.962	2	142	5.25		2.59	16.21	8.65	4.028	5.47	18.49	1.2	2		1.1		Y
Nacra 18m <sup>2</sup>	1.080	1	170	5.47	5.35	3.05	18.24	8.98				0.763	1	B	0.535		
Nacra 20 Carbon	0.856	2	168	6.2		3.2	21	10	5.1	6.5	28	1.05	2		1.21		Y
Nacra 20 One Design	0.945	2	192	6.12	6.1	2.6	19.2	8.9	4.72	6.25	25	0.97	2	B	1.03		
Nacra 2005 F18	0.988	2	180	5.52	5.5	2.6	17	8.53	4.15	5.73	21	1.4	2		1		
Nacra 4.5	1.290	2	140	4.5	4.35	2.45	13.23	7.21	3.35	4.49			2	B	no LTM		
Nacra 4.5 Solo	1.314	1	139	4.5	4.35	2.45	13.23	7.21					1	B	no LTM		
Nacra 460	1.267	2	142	4.54		2.35	12.3	7.3	2.88	4.42			2		0.75		
Nacra 460 Solo	1.269	1	139	4.54		2.35	12.3	7.3					1		0.75		
Nacra 460 Solo Spinnaker	1.214	1	146	4.54		2.35	12.3	7.3			15		1		0.75		
Nacra 460 Sport	1.215	2	149	4.54		2.35	12.3	7.3	3.15	4.84	15		2		0.75		
Nacra 5.0	1.144	2	160	5.08	5.07	2.5	14.08	7.91	4.3	4.66	14		2	B	no LTM		
Nacra 5.0 Cat Boat	1.241	1	154	5.08	5.07	2.5	14.08	7.91					1	B	no LTM		
Nacra 5.2	1.082	2	161	5.14	5.14	2.44	15.5	7.85	4.12	5	16.3	0.763	2	B	no LTM		
Nacra 5.5 France SL	1.037	2	182	5.47	5.45	2.59	15.8	8.19	5.81	5.6	19.5	0.763	2	B	no LTM		
Nacra 5.5 Raid	1.046	2	182	5.47	5.45	2.59	16.2	8.42	4.7	5.34	21	0.763	2	B	no LTM		
Nacra 5.7 Race	1.089	2	174	5.65	5.46	2.5	15.8	8.19	5	5.07	16		2	B	no LTM		
Nacra 5.8	1.022	2	196.5	5.85	5.82	2.5	16.41	8.44	5.51	5.29	24	0.79	2	B	no LTM		
Nacra 500	1.166	2	150	5.08		2.44	14.15	7.75	3.52	5.05			2		0.63		
Nacra 500 Sport	1.119	2	157	5.08		2.44	14.15	7.75	3.71	5.52	17		2		0.63		
Nacra 500 Solo	1.196	1	147	5.08		2.44	14.15	7.75					1		0.63		
Nacra 500 Solo Spinnaker	1.142	1	154	5.08		2.44	14.15	7.75			17		1		0.63		



Marzo-13

CLASS	RATING	CW	WS	AL	WL	BEAM	CM	VLM	CJ	VLJ	CSPI	LB	TRAP	B27	LTM	SH	LF
Nacra 570 (without spinnaker)	1.069	2	163	5.65		2.44	16.55	8.55	4.55	5.53			2		0.88		
Nacra 570 Sport	1.021	2	170	5.65		2.44	16.55	8.55	4.9	6	21		2		0.88		
Nacra 580 (without spinnaker)	1.044	2	188	5.85		2.6	17.57	8.55	4.55	5.53		0.55	2		0.88		
Nacra 580 Sport	0.994	2	195	5.85		2.6	17.57	8.55	4.9	6	23	0.55	2		0.88		
Nacra 6.0	1.006	2	202	6.07	5.77	2.59	17.05	8.74	5.91	6.11	24	0.79	2	B	no LTM		
Nacra 6.0 Raid	1.011	2	206	6.07	5.77	2.59	17.46	9.34	5.08	5.81	25	0.79	2	B	no LTM		
Nacra 6.0 SE	0.979	2	207	6.07	5.77	3.05	19.73	9.3	5.3	6.67	25	0.79	2	B	no LTM		
Nacra Blast	1.198	2	150	4.82	4.82	2.45	13.7	7.05	3.1	4.8	16		2	B	no LTM		
Nacra F17 Sloop	1.032	2	155	5.22		2.44	15.25	8.55	3.81	5.3	19	0.78	2		0.82		
Nacra F17 Solo	1.056	1	151	5.22		2.44	15.25	8.55			19	0.78	1		0.82		
Nacra Infusion F18	0.988	2	180	5.52	5.5	2.6	17	8.53	4.15	5.73	21	1.4	2		1		
Nacra Inter 17 Solo (without spinnaker)	1.150	1	157	5.22		2.59	13.84	8.16				0.982	1		0.61		
Nacra Inter 17 Solo Spinnaker 19m <sup>2</sup>	1.089	1	161	5.22		2.59	13.84	8.16			19	0.982	1		0.61		
Nacra Inter 18 F18	0.988	2	180	5.52	5.5	2.6	17	8.53	4.15	5.73	21	1.4	2		1		
Nacra Inter 20 F20	0.961	2	190	6.1		2.59	18	8.9	4.85	6.36	25	0.97	2		0.695		
New Cat F1	1.421	2	110	4.18	4.04	2.11	10.26	6.2	2.5	4.05			2	B	no LTM		
New Cat F2	1.458	2	105	4.18	4.04	2.11	9.22	5.81	2.5	4			2	B	no LTM		
New Cat Swing	1.237	2	178	4.9		2.35	11.5	7.32	3.15	5.17	16		2		0.55		
New Marine 12 Junior Cat Boat	1.773	1	88	3.5	3.28	1.8	6.2	4.8						B	no LTM		
New Marine 12 Junior Double	1.864	2	88	3.5	3.28	1.8	6.2	4.8	2	1.1				B	no LTM		
New Marine 12 Racing Cat Boat	1.617	1	93	3.5	3.28	1.9	8.2	5.9						B	no LTM		
New Marine 12 Racing Double	1.722	2	93	3.5	3.28	1.9	8.2	5.9	2	1.1				B	no LTM		
New Marine 16 Swing Cat Boat	1.247	1	178	4.9	4.9	2.35	11.5	7.32			18.5		1	B	0.55		
New Marine 16 Swing Double	1.201	2	178	4.9	4.9	2.35	11.5	7.32	4.15	5.17	18.5		1	B	0.55		
Prindle 15	1.282	1	118	4.55	4.39	2.44	13.07	7.32					1	B	no LTM	SH	
Prindle 16	1.229	2	136	4.87	4.64	2.44	13.84	7.58	3.71	4.5			2	B	no LTM	SH	
Prindle 18	1.142	2	161	5.48	5.27	2.44	15.81	8	4.38	5.4			2	B	no LTM		
Prindle 18.2	1.045	2	177	5.5	5.27	2.59	16.92	8	4.61	5.05	18.5	0.495	2	B	0.6		
Prindle 19	1.024	2	196	5.84	5.63	2.59	18.08	8.45	5	5.5	25	0.495	2	B	no LTM		
Prindle 19 Pacer	1.025	2	196	5.84	5.63	2.59	18.17	8.55	4.74	5.8	25	0.495	2	B	no LTM		
Prindle Play Cat	1.286	1	115	5.1		2.15	11.61	6.5					1		no LTM		
Raptor F16	1.004	2	107	4.995	4.995	2.5	14.907	8.086	3.636	5.595	17.24	0.75	2		0.85		



Marzo-13

CLASS	RATING	CW	WS	AL	WL	BEAM	CM	VLM	CJ	VLJ	CSPI	LB	TRAP	B27	LTM	SH	LF
Shadow	1.095	1	99	4.8	4.77	2.4	12.95	7.45			9.9	0.64	1	B	0.605		
Shadow X	1.086	1	102	4.8	4.77	2.4	12.95	7.45			13.7	0.64	1	B	0.605		
Shearwater	1.190	2	165	5.03	5	2.28	12.6	6.45	3.4	4.66	17.9	0.6	2	B	no LTM		
Shockwave F18	0.988	2	180	5.52	5.5	2.6	17	8.53	4.15	5.73	21	1.4	2		1		
SL 15.5	1.228	2	150	4.8	4.75	2.35	12.4	6.7	2.8	4.65	14		2	B	0.645		
SL 16	1.143	2	148	4.8	4.75	2.35	13.8	7.4	3.8	5.3	17		2	B	0.69		
SL 5.2	1.059	2	155	5.18		2.53	15.75	7.92	4.2	5.36	19		2		1		
Spitfire	1.037	2	143	4.97		2.53	15.41	7.9	4.2	5.36	19	0.76	2		0.69		
Spitfire S	1.022	2	142	4.97		2.53	15.75	7.92	4.2	5.36	19	0.76	2		1		
Sprint 15 Cat Boat	1.389	1	104	4.53	4.25	2.13	10.5	6.13						B	no LTM		
Sprint 15 DX	1.159	1	102	4.53	4.25	2.13	11.41	6.275	2.26	3.395			1		0.98		
Sprint 15 GTI	1.407	2	104	4.53	4.25	2.13	10.5	6.13	1.97	3.01			1	B	no LTM		
Sprint 15 Sport Solo	1.269	1	104	4.53	4.25	2.13	10.5	6.13	1.97	3.01			1	B	no LTM		
Stealth	1.064	2	109	5.05	4.95	2.5	13.75	7.43	2.75	4.1	17.5	0.45	2	B	0.93		
Stealth R	1.007	2	109	5.05	4.95	2.5	13.75	7.43	4.9	5.3	17.5	0.75	2	B	0.93		
Stealth R Solo	1.044	1	109	5.05	4.95	2.5	13.75	7.43			17.5	0.75	1	B	0.93		
Stingray 5.5	1.001	2	130	5.49	5.45	2.5	16.81	8.51	5.25	5.56		0.6	2	B	0.8		
Thundercat 18	1.027	2	145	5.48	5.3	2.44	15.2	8.8	6.1	5.2		0.57	2	B	0.8		
Tomahawk F20	0.971	2	187	6.08		3.05	22.23	10.58			21	0.97	2		0.98		
Topaz 14C	1.410	2	106	4.25		2.06	9.1	6.05	1.9	3.87			2		0.775		
Topaz 14CX Spinnaker	1.365	2	110	4.25		2.06	9.1	6.05	1.9	3.87	9.9		2		0.775		
Topaz 14Xtreme	1.243	1	110	4.25		2.06	11.25	6.57			9.9		1		0.825		
Topaz 16C	1.304	2	144	4.7		2.265	11.4	6.87	2.57	4.265			1		0.665		
Topaz 16CX	1.254	2	148	4.7		2.265	11.4	6.87	2.57	4.265	13.53		2		0.665		
Topaz 16S	1.363	2	141	4.7		2.265	9.85	6.87	2	4.2			1		0.665		
Topaz 16S Spinnaker	1.306	2	145	4.7		2.265	9.85	6.87	2	4.2	13.53		2		0.665		
Topcat 15 F2	1.284	2	123	4.78	4.37	2	12.5	6.78	2.95	3.61			1	B	0.6		
Topcat 15 Solo	1.279	1	119	4.78	4.37	2	12.5	6.78					1	B	0.6		
Topcat 18 K1	1.050	2	184	5.5	5.2	2.5	16.7	8.9	5.4	5.88	19		2	B	0.7		
Topcat 18 Spitfire (without spinnaker)	1.139	2	172	5.49	5.07	2.31	15.17	8.75	5.55	5.56			2	B	no LTM		
Topcat 4.5	1.657	1	120	4.5		2.21	11		2.5								
Topcat Chico	2.171	2	80	3.6		1.98	5.8		2.1								



**Marzo-13**

CLASS	RATING	CW	WS	AL	WL	BEAM	CM	VLM	CJ	VLJ	CSPI	LB	TRAP	B27	LTM	SH	LF
Topcat F1	1.750	1	115	4.8		2	11.2										
Topcat F2	1.702	2	115	4.8		2	11.2		3.6								
Topcat K1	1.397	2	170	5.48		2.5	16.7		5.4		18.8						
Topcat K2	1.097	2	165	5.18	4.99	2.44	15.9	8.15	4.2	5.05	16		2	B	0.6		
Topcat K3	1.143	2	145	4.92	4.79	2.21	14.9	7.5	3.2	4.31	16		2	B	0.6		
Topcat K3 Solo	1.158	1	145	4.92	4.79	2.21	14.9	7.5			16		1	B	0.6		
Topcat Spifire 2.3	1.524	2	180	5.48		2.3	16.7		5.4								
Topcat Spifire 2.5	1.524	2	180	5.48		2.5	16.7		5.4								
Tornado	0.939	2	165	6.09	5.83	3.05	18.22	8.92	5.38	6.03	25.87	0.6	2	B	0.8		
Tornado 24m² Spinnaker	0.993	2	175	6.09	5.83	3.05	16.87	8.91	5.2	5.62	24	0.6	2	B	no LTM		
Tornado Classic (without spinnaker)	1.046	2	170	6.09	5.83	3.05	16.87	8.91	5.2	5.62		0.6	1	B	no LTM		
Tropic GTI	1.106	2	161	5.48	5.46	2.49	13.95	8.6	3.1	5	16.3	0.62	2	B	no LTM		
Unicorn	1.162	1	108	5.48	5.28	2.28	13.56	7.25				0.6	1	B	no LTM		
Ventilo 18	1.034	2	147	5.48	5.4	2.5	15.15	8.5	3.05	4.8	19	0.73	2	B	0.8		
Ventilo 18 HT	0.992	2	132	5.48	5.43	2.5	20	9.95			20	1.02	2	B	0.9		
Ventilo 20 CB	0.953	2	165	6.09	5.85	2.9	21.84	10.5			24	1.02	2	B	1.2		
Ventilo 609	0.939	2	162	6.09	5.83	2.5	17.75	9.25	4.36	6.05	24	1.02	2	B	1.2		
Ventilo Quickie	1.010	1	110	5.48	5.4	2.5	15.15	8.5			14	0.73	1	B	0.9		
Ventilo Zippo	1.058	2	134	5	4.95	2.5	14.1	7.55	3.7	5.5	17	0.78	2	B	0.9		
Warp 18	1.067	2,00	151	5.48	5.48	2.28	15.94	7.62	3.87	4.32	19		2	B	0.8		